


A black and white photograph of a baby lying down, wearing a light-colored knitted dress with a dark geometric pattern. The baby is looking towards the camera with a slight smile. The background is a textured, light-colored surface.

Patchwork

**KNITTING BOOK
NO. 202**

"GLORIA"
See page 12

6⁰



"LYNETTE"
See page 3

PATONS &
BALDWIN'S

The Shawl to match this Layette
is illustrated on page 19

Lynette

COMPLETE LAYETTE

(ILLUSTRATED OPPOSITE AND ON PAGE 19)

The Layette comprises Coat, Frock, Vest, Knickers, Bonnet, Bootees, Mittens and Shawl

THE COAT.

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply.

"Patonised"—Shrink-Resist Finish.

Quantity 3 ozs.
Knitting Needles 1 pair each Nos. 10 and 12
Length of Ribbon.

MEASUREMENTS:—

Length from top of shoulder 11 ins.
Width all round at under-arm 20 ins.
Length of sleeve from under-arm 6 ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 1 pattern to $1\frac{3}{4}$ inches in width. *Check tension—see page 18.*

(The Coat is worked in one piece to under-arm)

Using No. 10 Needles, cast on 301 stitches.

1st row.—* K.1, P.1, repeat from * to last st., K.1.
2nd row.—K.2, * P.1, K.1, repeat from * to last st., K.1.
Repeat 1st and 2nd rows once, then 1st row once.
Proceed as follows:—
**** 1st row.**—K.2, P.1, K.6, * wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.7, repeat from * to last 12 sts., wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.6, P.1, K.2.
2nd and alternate rows.—(K.1, P.1) twice, purl to last 4 sts., (P.1, K.1) twice.

3rd row.—K.2, P.1, K.1, K.2 tog., K.3, * wl. fwd., K.3, wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, repeat from * to last 12 sts., (wl. fwd., K.3) twice, K.2 tog., K.1, P.1, K.2.

5th row.—K.2, P.1, K.1, K.2 tog., K.2, * wl. fwd., K.5, wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, repeat from * to last 13 sts., wl. fwd., K.5, wl. fwd., K.2, K.2 tog., K.1, P.1, K.2.

7th row.—K.2, P.1, K.1, K.2 tog., K.1, * wl. fwd., K.7, wl. fwd., slip 1, K.2 tog., p.s.s.o., repeat from * to last 14 sts., wl. fwd., K.7, wl. fwd., K.1, K.2 tog., K.1, P.1, K.2.

9th row.—K.2, P.1, K.4, * wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, wl. fwd., K.3, repeat from * to last 4 sts., K.1, P.1, K.2.

11th row.—K.2, P.1, K.5, * wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.5, repeat from * to last 13 sts., wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.5, P.1, K.2.

12th row.—Like 2nd row. **
Repeat from ** to ** five times, then 1st and 2nd rows once.

Proceed as follows:—

1st row.—K.2, P.1, K.1, (K.2 tog.) thirty-two times, K.16, (K.2 tog.) thirty-three times, K.1, (K.2 tog.) thirty-three times, K.16, (K.2 tog.) thirty-two times, K.1, P.1, K.2 (171 sts.).

2nd row.—(K.1, P.1) twice, purl to last 4 sts., (P.1, K.1) twice.

3rd row.—K.2, P.1, K.1, * wl. fwd., K.2 tog., repeat from * to last 5 sts., K.2, P.1, K.2.

4th row.—(K.1, P.1) twice, purl to last 4 sts., (P.1, K.1) twice.

5th row.—K.2, P.1, K.42, turn.

Work on these 45 sts. as follows:—

1st row.—Cast off 4 sts., purl to last 4 sts., (P.1, K.1) twice.

Continue in plain, smooth fabric (keeping a border of 4 sts. in rib at front edge), decreasing once at arm-hole edge in next and every alternate row, until 37 sts. remain.
Work 19 rows without shaping.

Cast off 11 sts. at beginning of next row, then decrease once at neck edge in every row, until 20 sts. remain.

Work 3 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work to last 10 sts., turn.

2nd row.—Work to end of row. Cast off.

Join in wool at arm-hole edge, cast off 4 sts., K.77, turn.
In next row, cast off 4 sts., purl to last st., K.1.

Continue in plain, smooth fabric, decreasing once at each end of needle in next and every alternate row, until 65 sts. remain.

Continue in plain, smooth fabric without shaping until arm-holes measure same as Front arm-hole.

Shape for shoulders as follows:—

1st and 2nd rows.—Work to last 10 sts., turn.

3rd and 4th rows.—Work to last 20 sts., turn.

5th row.—Work to end of row. Cast off.

Join in wool at under-arm and work on remaining 45 sts. to correspond with Right Front.

THE SLEEVES.—Using No. 12 Needles, cast on 44 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.
Repeat 1st row sixteen times.

18th row.—K.3, increase once in next st., * K.1, increase once in next st., repeat from * to last 4 sts., K.4 (63 sts.).

19th row.—K.1, purl to last st., K.1.

Using No. 10 Needles, proceed as follows:—

**** 1st row.**—K.5, * wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.7, repeat from * to last 8 sts., wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.5.

2nd and alternate rows.—K.1, purl to last st., K.1.

3rd row.—K.2 tog., K.3, * wl. fwd., K.3, wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.1, repeat from * to last 9 sts., (wl. fwd., K.3) twice, K.2 tog.

5th row.—K.2 tog., K.2, * wl. fwd., K.5, wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, repeat from * to last 9 sts., wl. fwd., K.5, wl. fwd., K.2, K.2 tog.

7th row.—K.2 tog., K.1, * wl. fwd., K.7, wl. fwd., slip 1, K.2 tog., p.s.s.o., repeat from * to last 10 sts., wl. fwd., K.7, wl. fwd., K.1, K.2 tog.

9th row.—K.3, * wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, wl. fwd., K.3, repeat from * to end of row.

11th row.—K.4, * wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.5, repeat from * to last 9 sts., wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.4.

12th row.—Like 2nd row. **

Repeat from ** to ** three times.

Decrease once at each end of needle in every row, until 15 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK-BAND.—Sew up shoulder seams.

With right side of work facing, and using No. 12 Needles, knit up 79 stitches evenly round neck.

1st row.—K.2, * P.1, K.1, repeat from * to last st., K.1.

2nd row.—K.1, * wl. fwd., K.2 tog., repeat from * to end of row.

Repeat 1st row once. Cast off in rib.

TO MAKE UP MATINEE COAT.—With a slightly damp cloth and warm iron, press lightly. Sew up side and sleeve seams. Sew in sleeves, placing seam to seam. Thread ribbon through holes at waist and neck.

THE FROCK.

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply.

"Patonised"—Shrink-Resist Finish.

Quantity 4 ozs.

Knitting Needles 1 pair each Nos. 10 and 12

A Medium Sized Crochet Hook.

Three Small Buttons.

MEASUREMENTS:—

Length from top of shoulder 17 ins.

Width all round at under-arm 19 ins.

Length of sleeve from under-arm 3½ ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 1 pattern to 1½ inches in width. *Check tension—see page 18.*

THE FRONT.—Using No. 10 Needles, cast on 152 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.
Repeat 1st row five times, increasing once at end of needle in last row.

Proceed as follows:—

**** 1st row.**—K.5, * wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.7, repeat from * to last 8 sts., wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.5.

2nd and alternate rows.—K.1, purl to last st., K.1.

3rd row.—K.2 tog., K.3, * wl. fwd., K.3, wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, repeat from * to last 8 sts., (wl. fwd., K.3) twice, K.2 tog.

5th row.—K.2 tog., K.2, * wl. fwd., K.5, wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, repeat from * to last 9 sts., wl. fwd., K.5, wl. fwd., K.2, K.2 tog.

7th row.—K.2 tog., K.1, * wl. fwd., K.7, wl. fwd., slip 1, K.2 tog., p.s.s.o., repeat from * to last 10 sts., wl. fwd., K.7, wl. fwd., K.1, K.2 tog.

9th row.—K.3, * wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, wl. fwd., K.3, repeat from * to end of row.

11th row.—K.4, * wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.5, repeat from * to last 9 sts., wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.4.

12th row.—Like 2nd row. **

Repeat from ** to ** ten times.

In next row, K.5, * K.2 tog., repeat from * to last 6 sts., K.6 (82 sts.).

Using No. 12 Needles, proceed as follows:—

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row ten times.

Using No. 10 Needles, proceed as follows:—

1st row.—K.2 tog., K.28, * wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.7, repeat from * to last 32 sts., wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.29.

2nd and 4th rows.—K.1, purl to last st., K.1.

3rd row.—K.24, K.2 tog., K.3, * wl. fwd., K.3, wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, repeat from * to last 32 sts., (wl. fwd., K.3) twice, K.2 tog., K.24.

5th row.—K.24, K.2 tog., K.2, * wl. fwd., K.5, wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, repeat from * to last 33 sts., wl. fwd., K.5, wl. fwd., K.2, K.2 tog., K.24.

6th row.—Like 2nd row.

Cast off 4 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row, until 67 sts. remain.

Work 11 rows without shaping (keeping centre panel in pattern).

Proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows once.

5th row.—K.24, cast off 19 sts., K.24.

Continue in plain, smooth fabric on last 24 sts., decreasing once at neck edge in every alternate row, until 18 sts. remain.

Work 3 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work to last 9 sts., turn.

2nd row.—Work to end of row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front, until 82 sts. remain.

Using No. 12 Needles, proceed as follows:—

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row ten times, decreasing once at end of needle in last row.

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows twice.

Cast off 4 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row, until 67 sts. remain.

Work 31 rows without shaping.

Shape for shoulders as follows:—

1st and 2nd rows.—Work to last 9 sts., turn.

3rd and 4th rows.—Work to last 18 sts., turn.

5th row.—Work to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 42 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row nine times.

11th row.—K.1, * increase once in next st., repeat from * to end of row (83 sts.).

12th row.—K.1, purl to last st., K.1.

Using No. 10 Needles, work as given from ** to ** for Front, twice.

Keeping continuity of pattern, cast off 2 sts. at beginning of every row, until 35 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK-BAND.—Sew up right shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 70 stitches evenly round neck.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row five times. Cast off in rib.

TO MAKE UP FROCK.—With a slightly damp cloth and warm iron, press lightly. Sew up side and sleeve seams. Sew up left shoulder seam for $\frac{1}{4}$ of an inch. Sew in sleeves, placing seam to seam. Using Crochet Hook, work 2 rows of d.c. round neck opening, making 3 button-hole loops on front shoulder. Sew on buttons to correspond with loops.

THE VEST.

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply.

"Patonised"—Shrink-Resist Finish.

Quantity 1 oz.

Knitting Needles 1 pair each Nos. 10 and 12

1 set of four No. 12

Length of Ribbon.

MEASUREMENTS:—

Length from top of shoulder $10\frac{1}{2}$ ins

Width all round at under-arm 16 ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 18.*

THE FRONT.—Using No. 12 Needles, cast on 73 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to last st., K.1.

2nd row.—* K.1, P.1, repeat from * to last st., K.1.

Repeat 1st and 2nd rows nine times.

Using No. 10 Needles, repeat 1st and 2nd rows until work measures 8 ins. from commencement.

Cast off 4 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row, until 59 sts. remain.

Proceed as follows:—

1st row.—K.2, P.1, K.5, * wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.7, repeat from * to last 11 sts., wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.5, P.1, K.2.

2nd and alternate rows.—K.1, P.1, K.1, purl to last 3 sts., K.1, P.1, K.1.

3rd row.—K.2, P.1, K.2 tog., K.3, * wl. fwd., K.3, wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, repeat from * to last 11 sts., (wl. fwd., K.3) twice, K.2 tog., P.1, K.2.

5th row.—K.2, P.1, K.2 tog., K.2, * wl. fwd., K.5, wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, repeat from * to last 12 sts., wl. fwd., K.5, wl. fwd., K.2, K.2 tog., P.1, K.2.

7th row.—K.2, P.1, K.2 tog., K.1, * wl. fwd., K.7, wl. fwd., slip 1, K.2 tog., p.s.s.o., repeat from * to last 13 sts., wl. fwd., K.7, wl. fwd., K.1, K.2 tog., P.1, K.2.

9th row.—K.2, P.1, K.3, * wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, wl. fwd., K.3, repeat from * to last 3 sts., P.1, K.2.

11th row.—K.2, P.1, K.4, * wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.5, repeat from * to last 12 sts., wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.4, P.1, K.2.

12th row.—Like 2nd row.

Repeat 1st and 2nd rows once.

Work 2 rows in ribbed pattern.

In next row, work 20 sts. in ribbed pattern, cast off 19 sts., work 20 sts. in ribbed pattern.

Continue on last 20 sts., decreasing once at neck edge in every alternate row, until 14 sts. remain.

Work 5 rows in ribbed pattern without shaping.

Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front.

THE NECK-BAND.—Sew up shoulder seams.

With right side of work facing and using four No. 12 Needles, knit up 108 stitches evenly round neck.

1st round.—* K.1, P.1, repeat from * to end of round.

Repeat 1st round once.

3rd round.—* K.2 tog., wl. fwd., repeat from * to end of round.

Repeat 1st round twice. Cast off in rib.

THE ARM-HOLE BANDS.—With right side of work facing and using two No. 12 Needles, knit up 84 stitches evenly round arm-hole.

1st row.—K.1, * K.1, P.1, repeat from * to last st., K.1.

Repeat 1st row four times. Cast off in rib.

Work other Arm-hole Band in same manner.

TO MAKE UP VEST.—With a slightly damp cloth and warm iron, press lightly. Sew up side seams. Thread ribbon through holes in neck-band.

THE KNICKERS.

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply.

"Patonised"—Shrink-Resist Finish.

Quantity 1 oz.
Knitting Needles 1 pair each Nos. 10 and 12
Length of Ribbon.

MEASUREMENT:—

Length at centre front 9 ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get this measurement it is absolutely necessary to work at a tension to produce 1 pattern to $1\frac{1}{8}$ inches in width. *Check tension—see page 18.*

Using No. 10 Needles, cast on 72 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.
Repeat 1st row five times.

7th row.—K.2, * wl. fwd., K.2 tog., repeat from * to end of row.

Repeat 1st row four times.

12th row.—K.2, (P.1, K.1) twenty-one times, turn.

13th row.—Work 16 sts. in ribbed pattern, turn.

14th row.—Work 24 sts. in ribbed pattern, turn.

15th row.—Work 32 sts. in ribbed pattern, turn.

16th row.—Work 40 sts. in ribbed pattern, turn.

17th row.—Work 48 sts. in ribbed pattern, turn.

18th row.—Work 60 sts. in ribbed pattern, turn.

19th row.—Work in ribbed pattern to last st., increase once in last st.

Proceed as follows:—

**** 1st row.**—K.5, * wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.7, repeat from * to last 8 sts., wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.5.

2nd and alternate rows.—K.1, purl to last st., K.1.

3rd row.—K.2 tog., K.3, * wl. fwd., K.3, wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, repeat from * to last 8 sts., (wl. fwd., K.3) twice, K.2 tog.

5th row.—K.2 tog., K.2, * wl. fwd., K.5, wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, repeat from * to last 9 sts., wl. fwd., K.5, wl. fwd., K.2, K.2 tog.

7th row.—K.2 tog., K.1, * wl. fwd., K.7, wl. fwd., slip 1, K.2 tog., p.s.s.o., repeat from * to last 10 sts., wl. fwd., K.7, wl. fwd., K.1, K.2 tog.

9th row.—K.3, * wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, wl. fwd., K.3, repeat from * to end of row.

11th row.—K.4, * wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.5, repeat from * to last 9 sts., wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.4.

12th row.—Like 2nd row.

Repeat from 1st to 12th row four times, then 1st and 2nd rows once. **

Proceed as follows:—

1st row.—K.2, * P.1, K.1, repeat from * to last st., K.1.

2nd row.—* K.1, P.1, repeat from * to last st., K.1.

Continue in ribbed pattern, decreasing once at each end of needle in next and every alternate row, until 43 sts. remain.

Work 11 rows in ribbed pattern without shaping.

Continue in ribbed pattern, increasing once at each end of needle in next and every alternate row, until there are 73 sts. on needle.

Work 3 rows in ribbed pattern without shaping.

Repeat from ** to ** once, decreasing once in last row.

Work 6 rows in ribbed pattern without shaping.

In next row, K.2, * wl. fwd., K.2 tog., repeat from * to end of row.

Work 6 rows in ribbed pattern without shaping. Cast off.

THE LEG-BANDS.—With right side of work facing, and using No. 12 Needles, knit up 74 stitches evenly round leg.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row seven times. Cast off in rib.

Work other Leg-Band in same manner.

TO MAKE UP KNICKERS.—With a slightly damp cloth and warm iron, press lightly. Sew up side seams. Thread ribbon through holes at waist.

THE BONNET.

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply.

"Patonised"—Shrink-Resist Finish.

Quantity 1 oz.

Knitting Needles 1 pair each Nos. 11 and 12

Length of Ribbon.

MEASUREMENT:—

Width all round brim 11½ ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get this measurement it is absolutely necessary to work at a tension to produce 1 pattern to 1½ inches in width. *Check tension—see page 18.*

Using No. 12 Needles, cast on 83 stitches.

1st row.—* K.1, P.1, repeat from * to last st., K.1.

2nd row.—K.2, * P.1, K.1, repeat from * to last st., K.1.

Repeat 1st and 2nd rows twice, then 1st row once.

Using No. 11 Needles, proceed as follows:—

** **1st row.**—K.5, * wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.7, repeat from * to last 8 sts., wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.5.

2nd and alternate rows.—K.1, purl to last st., K.1.

3rd row.—K.2 tog., K.3, * wl. fwd., K.3, wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, repeat from * to last 8 sts., (wl. fwd., K.3) twice, K.2 tog.

5th row.—K.2 tog., K.2, * wl. fwd., K.5, wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, repeat from * to last 9 sts., wl. fwd., K.5, wl. fwd., K.2, K.2 tog.

7th row.—K.2 tog., K.1, * wl. fwd., K.7, wl. fwd., slip 1, K.2 tog., p.s.s.o., repeat from * to last 10 sts., wl. fwd., K.7, wl. fwd., K.1, K.2 tog.

9th row.—K.3, * wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, wl. fwd., K.3, repeat from * to end of row.

11th row.—K.4, * wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.5, repeat from * to last 9 sts., wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.4.

12th row.—Like 2nd row. **

Repeat from ** to ** three times, increasing once at end of needle in last row.

Proceed as follows:—

1st row.—Knit plain.

2nd and alternate rows.—K.1, purl to last st., K.1.

3rd row.—* K.10, K.2 tog., repeat from * to end of row.

5th row.—* K.9, K.2 tog., repeat from * to end of row.

7th row.—* K.8, K.2 tog., repeat from * to end of row.

Continue decreasing in this manner, until 14 sts. remain. In next row, (K.2 tog.) seven times.

Break off wool, run end through remaining sts., draw up and fasten off securely.

TO MAKE UP BONNET.—With a slightly damp cloth and warm iron, press lightly. Sew up back seam for 2½ ins. With right side of work facing, and using No. 11 Needles, knit up 82 stitches evenly along lower edge of bonnet. **1st row.**—K.2, * P.1, K.1, repeat from * to end of row. **2nd row.**—K.1, * wl. fwd., K.2 tog., repeat from * to last st., K.1. Repeat 1st row twice. Cast off in rib. Thread ribbon through holes at lower edge.

THE BOOTEES.

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply.

"Patonised"—Shrink-Resist Finish.

Quantity 1 oz.
 Knitting Needles 1 pair No. 13
 Length of Ribbon.

MEASUREMENT:—

Length of foot 4½ ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get this measurement it is absolutely necessary to work at a tension to produce 10½ stitches to the inch in width. *Check tension—see page 18.*

Cast on 61 stitches.

1st row.—Knit plain.

2nd row.—K.1, wl. fwd., K.29, w.r.n., P.1, w.o.n., K.29, wl. fwd., K.1.

3rd and alternate rows.—Knit plain.

4th row.—K.1, wl. fwd., K.31, w.r.n., P.1, w.o.n., K.31, wl. fwd., K.1.

6th row.—K.1, wl. fwd., K.33, w.r.n., P.1, w.o.n., K.33, wl. fwd., K.1.

Continue in this manner, until 5 increasing rows have been worked from commencement (81 sts.).

Continue increasing in this manner at toe only, until 10 increasing rows have been worked from commencement (91 sts.).

Work 3 rows in Garter Stitch without shaping.

In next row, K.53, turn.

Work on these 53 sts. as follows:—

1st row.—K.13, K.2 tog., turn.

Repeat 1st row until 54 sts. remain on needles (20 sts. each side of instep), knit plain to end of row.

Proceed as follows:—

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row three times.

5th row.—K.2, * wl. fwd., K.2 tog., repeat from * to end of row.

Repeat 1st row ten times, decreasing once at end of last row.

Proceed as follows:—

** 1st row.—K.5, * wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.7, repeat from * to last 8 sts., wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.5.

2nd and alternate rows.—K.1, purl to last st., K.1.

3rd row.—K.2 tog., K.3, * wl. fwd., K.3, wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, repeat from * to last 8 sts., (wl. fwd., K.3) twice, K.2 tog.

5th row.—K.2 tog., K.2, * wl. fwd., K.5, wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, repeat from * to last 9 sts., wl. fwd., K.5, wl. fwd., K.2, K.2 tog.

7th row.—K.2 tog., K.1, * wl. fwd., K.7, wl. fwd., slip 1, K.2 tog., p.s.s.o., repeat from * to last 10 sts., wl. fwd., K.7, wl. fwd., K.1, K.2 tog.

9th row.—K.3, * wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, wl. fwd., K.3, repeat from * to end of row.

11th row.—K.4, * wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.5, repeat from * to last 9 sts., wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.4.

12th row.—Like 2nd row. **

Repeat from ** to ** once, then 1st and 2nd rows once.

Proceed as follows:—

1st row.—K.2, * P.1, K.1, repeat from * to last st., K.1.

2nd row.—* K.1, P.1, repeat from * to last st., K.1.

Repeat 1st and 2nd rows twice. Cast off in rib.

Work another Bootie in same manner.

TO MAKE UP BOOTEES.—With a slightly damp cloth and warm iron, press lightly. Sew up foot and leg seams. Thread ribbon through holes at ankle.

THE MITTENS.

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply.

"Patonised"—Shrink-Resist Finish.

Quantity 1 oz.
 Knitting Needles 1 set of four No. 13
 Length of Ribbon.

MEASUREMENT:—

Length 4¾ ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get this measurement it is absolutely necessary to work at a tension to produce 10½ stitches to the inch in width. *Check tension—see page 18.*

Using two needles, cast on 53 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to last st., K.1.

2nd row.—* K.1, P.1, repeat from * to last st., K.1.

Repeat 1st and 2nd rows twice.

Proceed as follows:—

1st row.—K.5, * wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.7, repeat from * to last 8 sts., wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.5.

2nd and alternate rows.—K.1, purl to last st., K.1.

3rd row.—K.2 tog., K.3, * wl. fwd., K.3, wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, repeat from * to last 8 sts., (wl. fwd., K.3) twice, K.2 tog.

5th row.—K.2 tog., K.2, * wl. fwd., K.5, wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, repeat from * to last 9 sts., wl. fwd., K.5, wl. fwd., K.2, K.2 tog.

7th row.—K.2 tog., K.1, * wl. fwd., K.7, wl. fwd., slip 1, K.2 tog., p.s.s.o., repeat from * to last 10 sts., wl. fwd., K.7, wl. fwd., K.1, K.2 tog.

9th row.—K.3, * wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, wl. fwd., K.3, repeat from * to end of row.

11th row.—K.4, * wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.5, repeat from * to last 9 sts., wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.4.

12th row.—Like 2nd row.
Repeat 1st and 2nd rows once.

15th row.—K.1, K.2 tog., * K.9, K.2 tog., repeat from * to last 6 sts., K.6 (48 sts.).

16th row.—K.1, purl to last st., K.1.
Divide these 48 sts. on to 3 needles (16 on each needle).

1st round.—* K.1, P.1, repeat from * to end of round.
Repeat 1st round three times.

5th round.—* K.2 tog., wl. fwd., repeat from * to end of round.
Repeat 1st round four times.

10th round.—Knit plain.
Repeat 10th round thirteen times.
In next round, knit first 12 sts. of round, and leave on a thread, increase twice in next st., knit plain to last st., increase twice in last st.

Proceed as follows:—

1st round.—Knit plain.
Repeat 1st round nineteen times.

21st round.—* K.2 tog., repeat from * to end of round.
Work 2 rounds without shaping.

24th round.—* K.2 tog., repeat from * to end of round.
Work 1 round without shaping.
Break off wool, run end through remaining sts., draw up and fasten off securely.

THE THUMB.—Knit up 4 sts. at base of Thumb and knit 12 sts. from thread.
Divide these sts. on to 3 needles.

1st round.—Knit plain.
Repeat 1st round eleven times.

13th round.—* K.2 tog., repeat from * to end of round.
Work 1 round without shaping.

15th round.—* K.2 tog., repeat from * to end of round.
Work 1 round without shaping.
Break off wool, run end through remaining sts., draw up and fasten off securely.
Work another Mitten in same manner, but working Thumb at end instead of beginning of first needle.

TO MAKE UP MITTENS.—With a slightly damp cloth and warm iron, press lightly. Sew up cuff. Thread ribbon through holes at wrist.

THE SHAWL.

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply.
"Patonised"—Shrink-Resist Finish.

Quantity 11 ozs.
Knitting Needles 1 pair No. 9
A Medium Sized Crochet Hook.

MEASUREMENTS:—46 ins. x 48 ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 1 pattern to 1½ inches in width. *Check tension—see page 18.*

Cast on 353 stitches.

1st row.—* K.1, P.1, repeat from * to last st., K.1.
Repeat 1st row for 4 ins.

Proceed as follows:—

**** 1st row.**—(K.1, P.1) seventeen times, K.6, * wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.7, repeat from * to last 43 sts., wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.5, (K.1, P.1) seventeen times, K.1.

2nd and alternate rows.—(K.1, P.1) seventeen times, K.1, purl to last 35 sts., (K.1, P.1) seventeen times, K.1.

3rd row.—(K.1, P.1) seventeen times, K.1, K.2 tog., K.3, * wl. fwd., K.3, wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, repeat from * to last 43 sts., (wl. fwd., K.3) twice, K.2 tog., (K.1, P.1) seventeen times, K.1.

5th row.—(K.1, P.1) seventeen times, K.1, K.2 tog., K.2, * wl. fwd., K.5, wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, repeat from * to last 44 sts., wl. fwd., K.5, wl. fwd., K.2, K.2 tog., (K.1, P.1) seventeen times, K.1.

7th row.—(K.1, P.1) seventeen times, K.1, K.2 tog., K.1, * wl. fwd., K.7, wl. fwd., slip 1, K.2 tog., p.s.s.o., repeat from * to last 45 sts., wl. fwd., K.7, wl. fwd., K.1, K.2 tog., (K.1, P.1) seventeen times, K.1.


9th row.—(K.1, P.1) seventeen times, K.4, * wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, wl. fwd., K.3, repeat from * to last 35 sts., (K.1, P.1) seventeen times, K.1.

11th row.—(K.1, P.1) seventeen times, K.5, * wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.5, repeat from * to last 44 sts., wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.4, (K.1, P.1) seventeen times, K.1.


12th row.—Like 2nd row. **
Repeat from ** to ** thirty-six times.

In next row, * K.1, P.1, repeat from * to last st., K.1.
Repeat this row for 4 ins. Cast off.

TO MAKE UP SHAWL.—With a slightly damp cloth and warm iron, press lightly. Using Crochet Hook, work 1 row of d.c. round outer edges of Shawl.



"ROBIN"
See page 13





"JOYCE"
See page 14



"PAMELA"
See page 14

PATONS &
BALDWIN'S

"GLADYS"
See page 15



"JEANETTE"
See page 16

PATONS &
BALDWIN'S

Gloria

(ILLUSTRATED ON FRONT COVER)

MATERIALS:—

PATONS BEEHIVE BABY Wool.
"Patonised"—Shrink-Resist Finish.

- Quantity 4 ozs.
- Knitting Needles 1 pair each Nos. 10 and 12
- A Medium Sized Crochet Hook.
- Four Buttons.

MEASUREMENTS:—

- Length from top of shoulder 16 ins.
- Width all round at under-arm 20 ins.
- Length of sleeve from under-arm 3 ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 18.*

THE FRONT.—Using No. 10 Needles, cast on 151 stitches.

1st row.—K.1, * P.1, K.1, repeat from * to end of row. Repeat 1st row fourteen times, increasing once at end of needle in last row.

Proceed as follows:—

**** 1st row.—**K.1, * K.3, (K.2 tog., wl. fwd.) twice, K.1, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.3, repeat from * to last st., K.1.

2nd and alternate rows.—K.1, purl to last st., K.1.

3rd row.—K.1, * K.2, (K.2 tog., wl. fwd.) twice, K.3, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, repeat from * to last st., K.1.

5th row.—K.1, * K.1, (K.2 tog., wl. fwd.) twice, K.5, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.1, repeat from * to last st., K.1.

7th row.—K.1, * (K.2 tog., wl. fwd.) twice, K.7, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, repeat from * to last st., K.1.

9th row.—Knit plain.

10th row.—Like 2nd row. **

Repeat from ** to ** twice, decreasing once at end of needle in last row.

31st row.—K.1, * P.1, K.1, repeat from * to end of row. Repeat 31st row eleven times, increasing once at end of needle in last row.

Repeat from ** to ** twice, decreasing once at end of needle in last row.

Work 12 rows in Moss Pattern, increasing once at end of needle in last row.

Repeat from ** to ** once, decreasing once at end of needle in last row.

Work 37 rows in Moss Pattern.

Using No. 12 Needles, proceed as follows:—

1st row.—* K.2 tog., repeat from * to last st., K.1.

2nd row.—* K.2 tog., wl. fwd., K.2, repeat from * to end of row.

3rd row.—K.2 tog., w.r.n., P.2, * P.2 tog., w.r.n., P.2, repeat from * to last 4 sts., P.2 tog., w.r.n., P.1, K.1. Repeat 2nd and 3rd rows twice. ***

Using No. 10 Needles, proceed as follows:—

1st row.—K.1., * P.1, K.1, repeat from * to last 3 sts., P.1, K.2 tog.

2nd row.—K.1, * P.1, K.1, repeat from * to end of row. Repeat 2nd row twice.

5th row.—K.1, (P.1, K.1) eighteen times, P.1, turn.

Work 3 rows in Moss Pattern on these 38 sts.

Cast off 4 sts. at beginning of next row, then decrease once at beginning of needle in every alternate row five times.

Work 18 rows in Moss Pattern.

Cast off 8 sts. at beginning of next row, then decrease once at neck edge in every row, until 18 sts. remain.

Work 6 rows in Moss Pattern without shaping.

Shape for shoulder as follows:—

1st row.—Work in Moss Pattern to last 9 sts., turn.

2nd row.—Work in Moss Pattern to end of row. Cast off. Join in wool at centre front, cast on 1 st. and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front to ***. Using No. 10 Needles, proceed as follows:—

1st row.—K.1, * P.1, K.1, repeat from * to last 3 sts., P.1, K.2 tog.

2nd row.—K.1, * P.1, K.1, repeat from * to end of row. Repeat 2nd row six times.

Cast off 4 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row, until 57 sts. remain.

Continue in Moss Pattern until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in Moss Pattern to last 9 sts., turn.

3rd and 4th rows.—Work in Moss Pattern to last 18 sts., turn.

5th row.—Work in Moss Pattern to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 43 stitches.

1st row.—K.1, * P.1, K.1, repeat from * to end of row. Repeat 1st row three times, increasing once at end of needle in last row.

5th row.—* K.2 tog., wl. fwd., K.2, repeat from * to end of row.

6th row.—K.2 tog., w.r.n., P.2, * P.2 tog., w.r.n., P.2, repeat from * to last 4 sts., P.2 tog., w.r.n., P.1, K.1. Repeat 5th and 6th rows twice.

11th row.—K.5, * increase once in next st., repeat from * to last 6 sts., K.6 (77 sts.).

Using No. 10 Needles, proceed as follows:—

1st row.—K.1, * P.1, K.1, repeat from * to end of row. Repeat 1st row twice.

[Continued on page 16.]

Robin

(ILLUSTRATED ON PAGE 10)

MATERIALS:—

PATONS BEEHIVE BABY Wool.

"Patonised"—Shrink-Resist Finish.

Quantity 3 ozs.
 Knitting Needles 1 pair each Nos. 10 and 12
 A Medium Sized Crochet Hook.
 Two Press Studs.

MEASUREMENTS:—

Length from top of shoulder 10½ ins.
 Width all round at under-arm 19 ins.
 Length of sleeve from under-arm 7½ ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 18.*

THE FRONT.—Using No. 12 Needles, cast on 80 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row. Repeat 1st row twelve times.

Using No. 10 Needles, proceed as follows:—

1st row.—Increase once in first st., (K.1, P.1) eleven times, K.1, (P.2, K.3) six times, P.1, increase once in next st. purlways, (P.1, K.1) twelve times.

**** 2nd row.**—K.1, (K.1, P.1) twelve times, (K.1, wl. fwd., K.1, P.3) six times, K.1, wl. fwd., K.1, (P.1, K.1) twelve times, K.1.

3rd row.—(K.1, P.1) twelve times, K.1, (P.3, K.3) six times, P.3, (K.1, P.1) twelve times, K.1.

4th row.—K.1, (K.1, P.1) twelve times, (K.3, slip third last st. on right-hand needle over last 2 sts., P.3) six times, K.3, slip third last st. on right-hand needle over last 2 sts., (P.1, K.1) twelve times, K.1.

5th row.—(K.1, P.1) twelve times, K.1, (P.2, K.3) six times, P.2, (K.1, P.1) twelve times, K.1. **

Repeat from ** to ** thirteen times, then 2nd and 3rd rows once.

Cast off 4 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row, four times (5 decreasings).

Continue in pattern without shaping until 22 patterns have been worked from commencement.

In next row, (K.1, P.1) eight times, K.2, K.2 tog., turn; leave remaining sts. on a spare needle.

Shape for shoulder as follows:—

1st row.—K.1, P.2, K.1, P.1, work to last 6 sts., turn.

2nd row.—Work to last 2 sts., K.2 tog.

3rd row.—Work to last 12 sts., turn.

4th row.—Like 2nd row. Cast off.

Leave next 24 sts. on spare needle and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front until arm-hole shapings have been completed.

Continue in pattern without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 6 sts., turn.

3rd and 4th rows.—Work in pattern to last 12 sts., turn.

5th and 6th rows.—Work in pattern to last 17 sts., turn.

7th row.—Work in pattern to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 42 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row. Repeat 1st row thirteen times.

Using No. 10 Needles, continue in ribbed pattern, increasing once at each end of needle in 7th and every following 8th row, until there are 58 sts. on needle.

Work 1 row without shaping.

Decrease once at each end of needle in next and every alternate row, until 46 sts. remain, then in every row, until 16 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK-BAND.—Sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 7 sts. evenly along left side of neck, knit 24 sts. from spare needle, knit up 7 sts. along right side of neck and 28 sts. across back of neck (66 sts.).

1st row.—K.2, * P.1, K.1, repeat from * to end of row. Repeat 1st row five times. Cast off in rib.

TO MAKE UP JUMPER.—With a slightly damp cloth and warm iron, press lightly. Sew up left shoulder seam for ½ an inch. Sew up side and sleeve seams. Sew in sleeves, placing seam to seam. Using Crochet Hook, work 2 rows of d.c. along shoulder opening. Sew press studs in position.

Joyce

(ILLUSTRATED ON PAGE 10)

MATERIALS:—

PATONS BEEHIVE Fingering, 3-ply.
"Patonised"—Shrink-Resist Finish.

Quantity 2 ozs.
 Knitting Needles 1 pair No. 10
 Two Buttons.

MEASUREMENTS (to fit 18 inch chest):—

Length from top of shoulder 8 ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 2 patterns to 1 inch in width. *Check tension—see page 18.*

THE BACK.—Cast on 62 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row. Repeat 1st row fourteen times, decreasing once at beginning of needle in last row.

Proceed as follows:—

** 1st row.—(Wrong side of work) (K.1, P.1) into first st., * wool back, slip 3 purlways, wl. fwd., P.1, repeat from * to last 4 sts., wool back, slip 3 purlways, K.1.

2nd row.—Knit twice into first st., knit plain to end of row.

3rd row.—(K.1, P.1) into first st., purl to last st., K.1.

4th row.—Knit twice into first st., K.2, * insert right-hand needle under first loop of 1st row as if to knit, and knit it together with next st. (this will now be termed "Knit Together" throughout), K.3, repeat from * to last st., K.1. **

Repeat from ** to **, until there are 121 sts. on needle. Proceed as follows:—

*** 1st row.—K.1, * slip 3 purlways, wl. fwd., P.1, wool back, repeat from * to last 4 sts., slip 3 purlways, K.1.

2nd row.—Knit plain.

3rd row.—K.1, purl to last st., K.1.

4th row.—K.2, * "Knit Together," K.3, repeat from * to last 3 sts., "Knit Together," K.2.

5th row.—K.1, P.1, * P.1, wool back, slip 3 purlways, wl. fwd., repeat from * to last 3 sts., P.2, K.1.

6th row.—Knit plain.

7th row.—K.1, purl to last st., K.1.

8th row.—K.1, * K.3, "Knit Together," repeat from * to last 4 sts., K.4. ***

Repeat from *** to *** twice.

Proceed as follows:—

1st row.—Work 42 sts. in pattern, K.37, work in pattern to end of row.

Repeat 1st row eight times.

10th row.—Work 42 sts. in pattern, K.5, cast off 27 sts., K.5, work in pattern to end of row.

[Continued on page 16.]

Pamela

(ILLUSTRATED ON PAGE 10)

MATERIALS:—

PATONS BEEHIVE Fingering, 2-ply.
"Patonised"—Shrink-Resist Finish.

Quantity 2 ozs.
 Knitting Needles 1 pair No. 10
 Length of Ribbon.

MEASUREMENTS:—

Length from top of shoulder 11½ ins.

Width all round at under-arm 19 ins.

Length of sleeve from under-arm 6 ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8½ stitches to the inch in width. *Check tension—see page 18.*

THE LEFT FRONT.—Cast on 57 stitches.

1st row.—K.1, * P.1, K.1, repeat from * to end of row. Repeat 1st row eight times, decreasing once at beginning of needle in last row.

** 10th row.—K.1, (P.1, K.1) three times, knit plain to end of row.

11th row.—K.1, * wl. fwd., K.2 tog., repeat from * to last 7 sts., (K.1, P.1) three times, K.1.

12th row.—K.1, (P.1, K.1) three times, knit plain to end of row.

13th row.—Knit plain to last 7 sts., (K.1, P.1) three times, K.1.

14th row.—K.1, (P.1, K.1) three times, purl to last st., K.1.

Repeat 13th and 14th rows four times, 13th row once, from 10th to 12th row once, then 13th and 14th rows five times. **

37th row.—K.1, * K.6, K.2 tog., repeat from * to last 7 sts., (K.1, P.1) three times, K.1.

Repeat from ** to ** once.

65th row.—K.1, * K.5, K.2 tog., repeat from * to last 7 sts., (K.1, P.1) three times, K.1.

Keeping a border of 7 sts. in Moss Pattern at front edge, work 25 rows in pattern without shaping.

Cast off 3 sts. at beginning of next row, then decrease once at beginning of needle in every alternate row, until 36 sts. remain.

Work 17 rows without shaping.

In next row, K.23, slip next 13 sts. on to a spare needle. Continue in pattern on these 23 sts., decreasing once at end of needle in every alternate row, until 20 sts. remain.

Work 6 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 10 sts., turn.

2nd row.—Work in pattern to end of row. Cast off.

THE RIGHT FRONT.—Work to correspond with Left Front, working border and shapings at opposite ends of needle.

THE BACK.—Cast on 105 stitches.

1st row.—K.1, * P.1, K.1, repeat from * to end of row.

Repeat 1st row eight times, decreasing once at end of needle in last row.

**** 10th row.**—Knit plain.

11th row.—K.1, * wl. fwd., K.2 tog., repeat from * to last st., K.1.

12th row.—Knit plain.

13th row.—Knit plain.

14th row.—K.1, purl to last st., K.1.

Repeat 13th and 14th rows four times, 13th row once, from 10th to 12th row once, then 13th and 14th rows five times. **

37th row.—K.7, * K.2 tog., K.6, repeat from * to last st., K.1.

Repeat from ** to ** once.

65th row.—K.7, * K.2 tog., K.5, repeat from * to last st., K.1.

Work 25 rows in pattern without shaping.

Cast off 3 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row, until 64 sts. remain.

Work 29 rows in pattern without shaping.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 10 sts., turn.

3rd and 4th rows.—Work in pattern to last 20 sts., turn.

5th row.—Work in pattern to end of row.

6th row.—Cast off 20 sts., P.24, cast off 20 sts.

Leave remaining sts. on a spare needle.

THE SLEEVES.—Cast on 33 stitches.

1st row.—K.1, * P.1, K.1, repeat from * to end of row.

Repeat 1st row twelve times.

14th row.—* K.1, P.1, K.1, P.3 tog., repeat from * to last 3 sts., K.1, P.1, K.1.

15th row.—K.1, (increase once in next st.) six times, (increase twice in next st.) nine times, (increase once in next st.) five times. K.2 (52 sts.).

**** 16th row.**—Knit plain.

17th row.—K.1, * wl. fwd., K.2 tog., repeat from * to last st., K.1.

18th row.—Knit plain.

19th row.—Knit plain.

20th row.—K.1, purl to last st., K.1.

Repeat 19th and 20th rows four times, then 19th row once. **

Repeat from ** to ** twice, from 16th to 18th row once, then 19th and 20th rows four times.

[Continued on page 16.]

Gladys

(ILLUSTRATED ON PAGE 11)

MATERIALS:—

PATONS BONNY Sports Wool.

Quantity 1 lb. 4 ozs.

Knitting Needles 1 pair No. 6

A Crochet Hook.

MEASUREMENTS:— 30 ins. x 40 ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 5 stitches to the inch in width. *Check tension—see page 18.*

Cast on 150 stitches.

**** 1st row.**—* K.1, P.9, repeat from * to last 10 sts., K.1, P.8, K.1.

2nd row.—* K.8, P.2, repeat from * to last 10 sts., K.8, P.1, K.1.

3rd row.—* K.3, P.7, repeat from * to last 10 sts., K.3, P.6, K.1.

4th row.—* K.6, P.4, repeat from * to last 10 sts., K.6, P.3, K.1.

5th row.—* K.5, P.5, repeat from * to last 10 sts., K.5, P.4, K.1.

6th row.—* K.4, P.6, repeat from * to last 10 sts., K.4, P.5, K.1.

7th row.—* K.7, P.3, repeat from * to last 10 sts., K.7, P.2, K.1.

8th row.—* K.2, P.8, repeat from * to last 10 sts., K.2, P.7, K.1.

9th row.—* K.9, P.1, repeat from * to last 10 sts., K.10.

10th row.—Like 9th row.

11th row.—Like 8th row.

12th row.—Like 7th row.

13th row.—Like 6th row.

14th row.—Like 5th row.

15th row.—Like 4th row.

16th row.—Like 3rd row.

17th row.—Like 2nd row.

18th row.—Like 1st row. **

Continue in pattern, as given from ** to **, until work measures 40 ins. from commencement. Cast off.

With a slightly damp cloth and warm iron, press lightly. Using Crochet Hook, work 2 rows of d.c. all round Cot Cover.

Jeanette

(ILLUSTRATED ON PAGE 11)

MATERIALS:—

PATONS BONNY Sports Wool.

Quantity 1 lb. 2 ozs.
Knitting Needles 1 pair No. 4
A Crochet Hook.

MEASUREMENTS:—30 ins. x 38 ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 2 patterns to 1½ inches in width. *Check tension—see page 18.*

Cast on 146 stitches.

**** 1st row.**—Knit plain.

2nd row.—K.1, purl to last st., K.1.

3rd row.—K.1, * K.2, slip 2 purlways, repeat from * to last st., K.1.

4th row.—K.1, * slip 2 purlways, P.2, repeat from * to last st., K.1.

Repeat 1st and 2nd rows once.

7th row.—K.1, * slip 2 purlways, K.2, repeat from * to last st., K.1.

8th row.—K.1, * P.2, slip 2 purlways, repeat from * to last st., K.1. **

Continue in pattern, as given from ** to **, until work measures 37½ ins. from commencement. Cast off.

With a slightly damp cloth and warm iron, press lightly.

Using Crochet Hook, work 1 row of d.c. round outside edge of Cot Cover, then work a picot edge as follows:—
* 3 d.c., 4 ch., slip st. into first st. of ch., repeat from * to end. Fasten off.

Gloria (continued from page 12)

Work as given from ** to ** for Front, twice.
Continue in pattern, decreasing once at each end of needle in every row, until 37 sts. remain. Cast off.
Work another Sleeve in same manner.

THE NECK-BAND.—Sew up shoulder seams.

With right side of work facing, and using No. 12 Needles, knit up 76 stitches evenly round neck.

1st row.—Knit plain.

2nd row.—* K.2 tog., wl. fwd., K.2, repeat from * to end of row.

3rd row.—K.2 tog., w.r.n., P.2, * P.2 tog., w.r.n., P.2, repeat from * to last 4 sts., P.2 tog., w.r.n., P.1, K.1. Repeat 2nd and 3rd rows once, then 1st row once. Cast off.

TO MAKE UP FROCK.—With a slightly damp cloth and warm iron, press lightly. Sew up side and sleeve seams. Sew in sleeves, placing seam to seam, and easing extra fullness at top. Using Crochet Hook, work 1 row of d.c. round front opening, making 4 button-hole loops on right side. Sew on buttons to correspond with loops.

Joyce (continued from page 14)

THE LEFT FRONT.—Proceed on last 47 sts. as follows:—

Keeping continuity of pattern and 5 sts. in Garter Stitch at front edge, increase once at front edge (inside border) in every alternate row, until there are 62 sts. on needle. (NOTE.—To increase, put wool to front of work, after knitting Garter Stitch border.)

Still keeping 5 sts. in Garter Stitch at front edge, continue in pattern, decreasing once at arm-hole edge in every alternate row, whilst at same time increasing once at front edge (inside border) in every alternate row, until Front measures same as Back, to top of ribbing.

In next row, K.2, * P.1, K.1, repeat from * to end of row. Repeat this row fourteen times. Cast off in rib.

THE RIGHT FRONT.—Join in wool at neck edge and work on remaining sts. to correspond with Left Front, working border and shapings at opposite ends of needle and making button-holes in 8th and 9th rows of ribbing as follows:—

1st row.—K.2, P.1, cast off 3 sts., work in ribbed pattern to last 6 sts., cast off 3 sts., K.1, P.1, K.1.

2nd row.—K.2, P.1, cast on 3 sts., work in ribbed pattern to last 3 sts., cast on 3 sts., K.1, P.1, K.1.

THE CUFFS.—With right side of work facing, knit up 40 stitches evenly along lower edge of sleeve.

1st row.—K.2, * P.1, K.1, repeat from * to end of row. Repeat 1st row ten times. Cast off in rib.

Work other Cuff in same manner.

TO MAKE UP MATINEE JACKET.—With a slightly damp cloth and warm iron, press lightly. Sew up side and cuff seams. Sew on buttons to correspond with button-holes.

Pamela (continued from page 15)

Decrease once at each end of needle in next and every alternate row, until 24 sts. remain. Cast off.
Work another Sleeve in same manner.

THE NECK-BAND.—Sew up shoulder seams.

With right side of work facing, slip 13 sts. from right front spare needle on to needle, join in wool and knit up 12 sts. evenly along right side of neck, 24 sts. across back of neck, 12 sts. along left side of neck, then K.6, (K.1, P.1) three times, K.1 across sts. from left front spare needle (74 sts.).

Work 3 rows in Garter Stitch.

4th row.—K.3, * wl. fwd., K.2 tog., repeat from * to last 7 sts., K.7.

Work 2 rows in Garter Stitch. Cast off.

TO MAKE UP MATINEE COAT.—With a slightly damp cloth and warm iron, press lightly. Sew up side and sleeve seams. Sew in sleeves, placing seam to seam. Thread ribbon through holes at neck.

Tony

(ILLUSTRATED ON BACK COVER)

MATERIALS:—

PATONS BEEHIVE Fingering, 3-ply.
"Patonised"—Shrink-Resist Finish.

Quantity 4 ozs.
 Knitting Needles 1 pair each Nos. 10 and 12
 Nine Buttons.

MEASUREMENTS:—

Length from top of shoulder 15½ ins.
 Width all round at under-arm 19 ins.
 Length of sleeve from under-arm 2½ ins.

ABBREVIATIONS:—See page 18.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 18.*

THE FRONT.—Using No. 10 Needles, cast on 24 stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows once, then 1st row once.

6th row.—K.1, purl to end of row, cast on 30 sts.

7th row.—K.54, cast on 30 sts.

8th row.—Like 2nd row.

9th row.—Increase once in each of first 30 sts., K.24, increase once in each of last 30 sts. (144 sts.).

10th row.—K.1, purl to last st., K.1.

11th row.—Knit plain.

Continue in plain, smooth fabric until work measures 9½ ins. from commencement, ending with a purl row.

Using No. 12 Needles, proceed as follows:—

1st row.—(K.2 tog.) thirty-two times, K.16 (K.2 tog.) thirty-two times.

2nd row.—K.2 tog., knit plain to last 2 sts., K.2 tog. (78 sts.).

Work 8 rows in Garter Stitch.

Using No. 10 Needles, proceed as follows:—

1st row.—K.41, turn.

Work on these 41 sts. as follows:—

1st row.—K.4, purl to last st., K.1.

**** 2nd row.—**K.1, P.1, * leave wool at front of work, slip 1 knitways, K.2 tog., p.s.s.o., w.r.n., P.2, repeat from * to last 4 sts., K.4

3rd row.—K.4, * K.2, P.3, repeat from * to last 2 sts., K.2.

4th row.—K.1, P.1, * K.3, P.2, repeat from * to last 4 sts., K.4.

5th row.—Like 3rd row. **

Repeat from ** to ** once.

10th row.—Work in pattern to last 4 sts., K.2 tog., w.l. fwd., K.2.

Work 3 rows in pattern.

Cast off 5 sts. at beginning of next row, then decrease once at beginning of needle in every alternate row twice (34 sts.).

Continue decreasing once at beginning of needle in every alternate row, until 32 sts. remain, whilst at same time making a button-hole as before in 2nd row.

Work 20 rows in pattern, making a button-hole as before in 8th and following 10th row.

Cast off 10 sts. at beginning of next row, then decrease once at neck edge in every row, until 19 sts. remain.

Work 6 rows in pattern without shaping.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 9 sts., turn.

2nd row.—Work in pattern to end of row. Cast off. Join in wool at centre front, cast on 4 sts. and work on remaining sts. to correspond with other side, omitting button-holes.

THE BACK.—Using No. 10 Needles, cast on 24 stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

3rd row.—K.4, cast off 2 sts., (K.5, cast off 2 sts.) twice, K.4.

4th row.—K.1, P.3, cast on 2 sts., (P.5, cast on 2 sts.) twice, P.3, K.1.

5th row.—Knit plain.

6th row.—K.1, purl to end of row, cast on 30 sts.

7th row.—K.54, cast on 30 sts.

8th row.—Like 2nd row.

9th row.—Increase once in each of first 30 sts., K.24, increase once in each of last 30 sts. (144 sts.).

10th row.—K.1, purl to last st., K.1.

11th row.—Knit plain.

Continue in plain, smooth fabric until work measures 9½ ins. from commencement, ending with a purl row.

Using No. 12 Needles, proceed as follows:—

1st row.—(K.2 tog.) thirty-three times, K.14, (K.2 tog.) thirty-two times.

2nd row.—K.2 tog., knit plain to last 2 sts., K.2 tog. (77 sts.).

Work 8 rows in Garter Stitch.

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

**** 3rd row.—**K.1, * P.1, leave wool at front of work, slip 1 knitways, K.2 tog., p.s.s.o., w.r.n., P.1, repeat from * to last st., K.1.

4th row.—* K.2, P.3, repeat from * to last 2 sts., K.2.

5th row.—K.1, P.1, * K.3, P.2, repeat from * to last 5 sts., K.3, P.1, K.1.

6th row.—Like 4th row. **

Repeat from ** to ** twice.

Cast off 5 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row, until 59 sts. remain.

Continue in pattern without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 9 sts., turn.

3rd and 4th rows.—Work in pattern to last 19 sts., turn.

5th row.—Work in pattern to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 44 stitches.

Work 9 rows in Garter Stitch.

10th row.—K.3, increase once in each of next 38 sts., K.3, (82 sts.).

11th row.—K.1, purl to last st., K.1.
Using No. 10 Needles, work in pattern, as given from ** to ** for Back, four times.
Continue in pattern, decreasing once at each end of needle in every row, until 26 sts. remain. Cast off.
Work another Sleeve in same manner.

THE LEFT LEG BAND.—Sew up side seams.
With right side of work facing and using No. 12 Needles, knit up 68 stitches evenly round left leg opening.
Work 3 rows in Garter Stitch.
4th row.—Knit plain to last 4 sts., K.2 tog., wl. fwd., K.2.
Work 4 rows in Garter Stitch. Cast off.

THE RIGHT LEG BAND.—With right side of work facing and using No. 12 Needles, knit up 68 stitches evenly round right leg opening.
Work 3 rows in Garter Stitch.
4th row.—K.2, wl. fwd., K.2 tog., knit plain to end of row.
Work 4 rows in Garter Stitch. Cast off.

THE COLLAR.—Using No. 10 Needles, cast on 90 stitches.

Work 3 rows in Garter Stitch.

4th row.—Knit plain.

5th row.—K.4, purl to last 4 sts., K.4.

**** 6th row.**—K.4, P.2, * leave wool at front of work, slip 1 knitways, K.2 tog., p.s.s.o., w.r.n., P.2, repeat from * to last 4 sts., K.4.

7th row.—K.4, * K.2, P.3, repeat from * to last 6 sts., K.6.

8th row.—K.4, P.2, * K.3, P.2, repeat from * to last 4 sts., K.4.

9th row.—Like 7th row. **

Repeat from ** to ** once, then 4th and 5th rows once.

16th row.—K.4, K.2 tog., * K.8, K.2 tog., repeat from * to last 4 sts., K.4 (81 sts.).

17th row.—Like 5th row. Cast off.

TO MAKE UP ROMPERS.—With a slightly damp cloth and warm iron, press lightly. Sew up shoulder and sleeve seams. Sew in sleeves, placing seam to seam, and easing fullness at top. Sew underlap in position. Sew collar in position. Sew on buttons to correspond with button-holes.

SOME IMPORTANT INFORMATION

Avoid disappointment—buy the wool recommended. Buy wisely—buy enough—the same blend cannot be repeated.

TENSION is the number of stitches in width to measure one inch. On this depends the success of the finished article. If the tension is not obtainable on the needles recommended, use a size finer or coarser, as required.

ABBREVIATIONS :—

K. = Knit plain
P. = Purl
sts. = stitches
ins. = inches
tog. = together
wl. fwd. = wool forward

p.s.s.o. = pass slip stitch over
w.o.n. = wool over needle
w.r.n. = wool round needle

t.b.l. = through the back of the loop
ch. = chain
tr. = treble
s.c. = single crochet
d.c. = double crochet

l.tr. = long treble (wool over hook twice)
sl. st. = slip stitch
sp. = space
garter stitch = every row plain

When the instructions read, "Cast off 2 stitches; K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.



SHRINK-RESIST
PATONISED
FINISH

PATONS BEEHIVE FINGERING

is now treated with a

SHRINK-RESIST FINISH known as "PATONISED"

This Knitting Wool can be washed repeatedly without shrinking and — most important! — will retain its original soft fullness and woolly texture. The "Patonised" Shrink-Resist Finish is not something new and untried, but is the result of fifteen years' experience.

PATONS &
BALDWIN'S



LYNETTE
See page 3

The Frock and Shawl shown above is part of
the Layette, "Lynette," illustrated on page 2

Wholly Set Up and Printed in Australia

Published With All Rights Reserved by

PATONS & BALDWIN'S LTD.

MELBOURNE BRANCH
84-94 Flinders Lane

SYDNEY BRANCH
181 Clarence Street

INCHES
1
2
3
4
5
6
7
8
9

Patchwork

KNITTING BOOK
NO. 202



"TONY"
See page 17